

**Section 1 – Product and Company Identification**

- 1.1 GHS Product Identifier** : 3-Methyl-1-Butene  
**Other means of identification** : 1-Butene, 3-methyl-  
Alpha-isoamylene  
Isopentene  
Isopropylethylene  
2-Methyl-3-butene  
3-Methyl-1-butylene  
Vinylisopropyl
- Product Number** : 315207  
**Chemical Formula** : C<sub>5</sub>H<sub>10</sub>  
**CAS Number** : 563-45-1  
**EC Number** : 209-249-1
- 1.2 Recommended use** : Laboratory chemicals, Manufacture of  
substances. Organic synthesis. High-octane fuel  
manufacture. Chemical intermediate for  
petroleum resins. Hydrocarbon solvent.
- 1.3 Supplier's detail** : Wiley Companies  
1245 South 6th Street  
Coshocton, Ohio 43812.  
(740)622-0755.
- 1.4 Emergency Telephone number** : (800)633-8253.  
**International number** : (801)629-0667.

**Section 2 – Hazards Identification**

- 2.1 GHS Classification of the substance or mixture**  
**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**  
Flammable liquids (Category 1)  
Skin irritation (Category 2)  
Eye irritation (Category 2A)  
Specific target organ toxicity – single exposure (Category 3) Respiratory system  
Aspiration hazard (Category 1)

**2.2 GHS Label elements, including precautionary statements**

## Pictogram



Signal word

Danger

## Hazard statement(s)

H224	Extremely flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

## Precautionary statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P235	Keep cool.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P321	Specific treatment (see first aid instructions on this label).
P331	Do NOT induce vomiting.
P362	Take off contaminated clothing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor or physician.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P370 + P378	In case of fire: Use carbon dioxide or dry chemical for extinction.
P403	Store in a well-ventilated space.
P405	Store locked up.

P501 Dispose of contents/container to an approved waste disposal facility.

**2.3 Hazards not otherwise classified or not covered by GHS**

None.

**Section 3 - Composition / Information on Ingredients**
**Substance/Mixture**

Chemical name : 3-Methyl-1-butene  
 Synonyms : 1-Butene, 3-methyl-  
 Alpha-isoamylene  
 Isopentene  
 Isopropylethylene  
 2-Methyl-3-butene  
 3-Methyl-1-butylene  
 Vinylisopropyl  
 Formula : C<sub>5</sub>H<sub>10</sub>  
 CAS number : 563-45-1  
 EC number : 209-249-1

**Hazardous components**

Component	Classification	Concentration
3-Methyl-1-butene	Flammable liquids 1 Skin irritation 2 Eye irritation 2A Specific target organ toxicity – single exposure 3 Aspiration hazard 1	>95%
Iso-amyl acetate	No data available.	0-5%
Acetic acid	No data available.	0-1%

**Section 4 - First Aid Measures**
**4.1 Description of necessary first aid measures**
**If inhaled**

Remove person to fresh air. Consult a physician if necessary.  
 If breathing is stopped, administer artificial respiration if trained to do so.

**In case of skin contact**

Flush with copious amounts of water for at least 15 minutes. Consult a physician if necessary.

**In case of eye contact**

Flush with copious amounts of water for at least 15 minutes. Consult a physician if necessary.

**If ingested**

Do NOT induce vomiting. Rinse mouth out with water. Never give liquid to an unconscious person. Consult a physician if necessary.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labeling section 2.2.

**4.3 Indication of immediate medical attention and special treatment needed, if necessary**

No data available.

**Section 5 – Fire Fighting Measure****5.1 Extinguishing media****Suitable extinguishing media**

Water spray  
Alcohol resistant foam  
Carbon dioxide  
Dry chemical.

**Unsuitable extinguishing media**

None.

**5.2 Specific hazards arising from the chemical**

When heated to decomposition it emits acrid smoke and irritating fumes. Carbon oxides.

**5.3 Special protective equipment for fire fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH for firefighters (approved or equivalent) and full protective gear.

**5.4 Special precautions for fire fighters**

Highly flammable material.  
Cool vessels and containers with sprayed water.  
Containers may explode when heated.  
Vapours can accumulate in low areas.  
Evacuate all personnel from the danger area.  
Remove ignition sources if safe to do so.

Vapors can be ignited by pilot lights, other flames, smoking, sparks, heaters, electrical equipment, static discharge, or other ignition sources at locations distant from product release point.

## **Section 6 – Accidental Release Measures**

### **6.1 Personal precautions, protective equipment and emergency procedures.**

Use personal protective equipment. Wear self-contained breathing apparatus when entering area unless atmosphere is proven to be safe. Avoid breathing vapours, mist or gas. Prevent further leakage or spillage if safe to do so. Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Evacuate personnel to safe areas. Prevent contamination of soil, drains and surface water. Take up residue with absorbent material and dispose of in accordance with all local, state and federal regulations.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas.

### **6.3 Methods and materials for containment and cleaning up**

Utilize non-sparking tools. For large spills, dike far ahead of liquid spill for later disposal. Pump up spilled material, transfer to properly labeled containers and dispose of in accordance with all local, state and federal regulations. Collect with an electrically protected vacuum cleaner

## **Section 7 – Handling and Storage**

### **7.1 Precautions for safe handling**

Wear all appropriate personal protective equipment.  
Avoid contact with skin, eyes and clothing.  
Avoid vapour inhalation.  
Do not eat, drink or smoke when using this product.  
Ensure good ventilation and local exhaust extraction in work place.  
Keep away from source of ignition.  
Use only non-sparking tools.  
Use only explosion-proof equipment.  
Take measures to prevent buildup of electrostatic charge. Keep containers tightly closed when not in use

### **7.2 Conditions for safe storage, including any incompatibilities**

Store material in D.O.T. approved containers.  
Follow all applicable local, state, and federal regulations.  
Store in a cool, dry, well-ventilated place, in securely closed original container.  
Store away from oxidizers

## Section 8 – Exposure Controls / Personal Protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
Iso-amyl acetate	OSHA PEL: 100 ppm ACGIH TWA: 50 ppm ACGIH STEL: 100 ppm NIOSH TWA: 100 ppm
Acetic Acid	OSHA PEL: 10 ppm ACGIH TWA: 10 ppm ACGIH STEL: 15 ppm NIOSH TWA: 10 ppm NIOSH STEL: 15 ppm

### 8.2 Appropriate engineering controls

#### Engineering Controls:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs.

### 8.3 Individual protection measures

#### Administrative Controls:

Handle in accordance with good industrial hygiene and safety practice. When workplace conditions warrant respirator use, follow a respiratory protection program that meets OSHA 29 CFR 1910.134, ANSI Z88.2, or MSHA 30 CFR 72.710 (where applicable). Use an air-supplied or air-purifying cartridge if the action level is exceeded. Ensure that the respirator has the appropriate protection factor for the exposure level. If cartridge type respirators are used, the cartridge must be appropriate for the chemical exposure (e.g., an organic vapor cartridge). For emergencies or instances with unknown exposure levels, use a self-contained breathing apparatus (SCBA).

Wear face shield and safety glasses as approved under appropriate government standards (NIOSH or EN 166). Wear chemically protective gloves. Wear a chemically protective suit. Wear flame retardant protective clothing. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Launder contaminated work clothes before reuse.

## Section 9 – Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance	: Clear, colourless liquid.
Odour	: Disagreeable odour.
Odour Threshold	: No data available.
pH	: No data available.
Melting point/freezing point	: -168.5 C (-271.3 F) – lit.
Initial boiling point and boiling point range	: 20.1 C (68 F) – lit.
Flash point	: -57 °C (-71 °F) - closed cup
Evaporation rate	: No data available.
Flammability (solid, gas)	: No data available.
Upper/lower flammability Or explosive limits	: Lower flammability limit: 1.5% Upper flammability limit: 9.1%
Vapour pressure	: 1031.8 hPa (773.9 mm Hg at 68 °F (20 °C) – lit.
Vapour density	: No data available.
Relative density	: 0.6213 g/cm <sup>3</sup> at 25 C (77 F).
Water solubility	: 130 mg/l @ 25 deg C.
Partition coefficient: n-octanol/water	: No data available.
Auto-ignition Temperature	: 365 c (689 F) – lit.
Decomposition Temperature	: No data available.
Viscosity	: No data available.
Molecular weight	: 70.13 g/mol

## Section 10 – Stability and Reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

This material is stable at room temperature in closed containers under normal storage and handling conditions.

### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture in air.

**10.4 Conditions to avoid**

Avoid contact with strong oxidizing agents.  
Heat, flames and other sources of ignition.  
Take measures to prevent buildup of electrostatic charge.

**10.5 Incompatible materials**

Strong oxidizing agents.

**10.6 Hazardous decomposition products**

When heated to decomposition it emits acrid smoke and irritating fumes. Carbon oxides.

**Section 11 – Toxicological Information****11.1 Information on toxicological effects****Acute toxicity**

No data available.

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Respiratory or skin sensitization**

No data available.

**Germ cell mutagenicity**

No data available.

**Carcinogenicity**

ARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.



**Reproductive toxicity**

No data available.

**Specific target organ toxicity – single exposure**

Respiratory system

**Specific target organ toxicity – repeated exposure**

No data available.

**Aspiration hazard**

The substance or mixture is known to cause human aspiration toxicity hazards

**Information on the likely routes of exposure**

Inhalation and skin contact.

**Symptoms related to the physical, chemical and toxicological characteristics**

No data available.

**Delayed and immediate effects and also chronic effects from short and long-term exposure**

No data available.

**Numeric measures of toxicity**

No data available.

**Section 12 – Ecological Information****12.1 Toxicity**

No data available.

**12.2 Persistence and degradability**

No data available.

**12.3 Bioaccumulative potential**

No data available.

**12.4 Mobility in soil**

Expected to have high mobility in soil.

**12.5 Other adverse effects**

No data available.

**Section 13 – Disposal Considerations**

**13.1 Disposal Methods**

Follow all applicable local, state, and federal regulations.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Section 14 – Transport Information**

	<b>DOT</b>	<b>IMDG</b>	<b>IATA</b>
<b>UN number</b>	UN2561	UN2561	UN2561
<b>Un proper shipping name</b>	3-Methyl-1-butene	3-METHYL-1-BUTENE	3-Methyl-1-butene
<b>Transport hazard class</b>	3	3	3
<b>Packing group</b>	I	I	I
<b>Marine pollutant</b>	No	No	-

**Section 15 – Regulatory Information**
**SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Fire hazard, Acute health hazard

**Section 16 – Other Information**

	HMIS		NFPA
Health - Chronic	*		
Health Hazard	2	Health Hazard	2
Flammability	4	Fire Hazard	4
Physical	0	Reactivity	0

**Prepared By:**

Wiley Companies

The EH&amp;S Department

**Disclaimer:** The information contained herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Wiley Companies makes no representations as to its accuracy and sufficiency. Conditions of use are beyond Wiley Companies control and therefore users are responsible to verify this data is accurate under their own operating conditions to determine whether the product is suitable for their particular purposes. The user assumes all risks for their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process. Wiley Companies and its employees shall not be liable for any loss or damage arising out of the use thereof.